



US Army Corps
of Engineers

Public Notice

Alaska District

Regulatory Branch (1145b)
Post Office Box 6898
Elmendorf AFB, Alaska 99506-0898

REVISION

CEPOA-CO Number General Permit 83-8P
SPN 2005-12

On August 8, 2005, the Alaska District Corps of Engineers published a Special Public Notice CEPOA-CO Number 05-12, to re-issue General Permit 83-8P, Arctic Slope Housing Authority Region, Alaska.

The notice showed a date of 08 June 2005 and the notice did not specify when the notice would expire.

This information is incorrect and should instead read: Special Public Notice 05-12 issued on 12 August 2005 and Special Public Notice 05-12 expires on 12 September 2005.

All other information contained in the previous notice remains the same. Please bring this announcement to the attention of anyone you know who is or may be interested. Please contact MR. Robert W. Jobson, Jr. at (907) 753-2716 or toll free from within Alaska at (800) 478-2712, if further information is desired concerning this notice. For additional information about our Regulatory Program, visit our web site at www.poa.usace.army.mil/reg.

District Engineer
U.S. Army, Corps of Engineers



Public Notice

US Army Corps
of Engineers
Alaska District
Regulatory Branch (1145b)
Post Office Box 6898
Anchorage, Alaska 99506-0898

Date:
08 June 2005
Identification No
SPN 2005-12
In reply refer to above Identification Number

SPECIAL PUBLIC NOTICE 05-12

RE-ISSUANCE OF GENERAL PERMIT 83-8P (PROPOSED 83-8Q) ARCTIC SLOPE HOUSING AUTHORITY REGION, ALASKA

INTRODUCTION: The District Engineer, Alaska District, Corps of Engineers, is proposing to re-issue General Permit 83-8P (proposed 83-8Q) for certain activities under authority of Section 404 of the Clean Water Act (Public Law 95-217, 33 U.S.C. 1344 et seq.), to authorize the placement of dredged and/or fill material and structures into wetlands, for activities associated with the construction of foundation pads for domicile, public and commercial development; associated driveways; parking areas; access roads; and other commercial, public, and domicile development within the (8) villages of Anaktuvuk Pass, Atkasuk, Barrow, Kaktovik, Nuiqsut, Point Lay, Point Hope, and Wainwright. On September 7, 2000, the Corps reauthorized GP83-8P as the Arctic Slope Housing Authority (ASHA) GP. The Current General Permit, GP83-8P, is scheduled to expire on September 7, 2005. Work authorized under this GP, including new applications, shall continue using existing procedures.

PURPOSE: This GP will reduce evaluation time, reduce unnecessary duplication of effort and increase predictability of decision-making on activities which are substantially similar in nature, which cause only minimal adverse environmental impact when performed separately, which would have only minor cumulative effects on water quality, and which would provide more effective administration of the Clean Water Act without creating an undue burden on the public.

PROPOSED ACTIVITY AND PROCEDURES: The proposed GP lists Special Conditions and other requirements which must be met in order for a project to be authorized pursuant to the proposed GP. The re-issued GP would continue to accommodate projects for the placement of dredged and/or fill material and structures into wetlands, for activities associated with the construction of foundation pads for domicile, public and commercial development; associated driveways; parking areas; access roads; and other commercial, public and domicile development within the (8) villages of Anaktuvuk Pass, Atkasuk, Barrow, Kaktovik, Nuiqsut, Point Lay, Point Hope, and Wainwright. An applicant desiring to perform work authorized by this GP must review all general and special conditions carefully. If the proposed work does not meet the requirements of the conditions, the GP does not apply, and the application will be processed as an application for an individual DA permit under the standard processing procedures with a separate Public Notice as per 33 CFR Part 325.2(a) (1-5).

This proposed GP would be affective for a period of 5 years. A summary of the number of projects authorized, project type, construction status, and number of acres utilized would be made available to all resource agencies and interested parties each year. At the end of the 5-year period, an evaluation of the procedure would be made and at that time it would be decided whether or not the GP should be renewed. This GP may be modified or revoked by issuance of a Public

Notice at any time the District Engineer determines that it is appropriate to do so.

LOCATION: The proposed GP would apply to eight (8) villages of Anaktuvuk Pass, Atqasuk, Barrow, Kaktovik, Nuiqsut, Point Lay, Point Hope, and Wainwright, Alaska.

WATER QUALITY CERTIFICATION: This proposed GP for the described work will not be issued until a certification or waiver of certification as required under Section 401 of the Clean Water Act (Public Law 95-217), has been received from the Alaska Department of Environmental Conservation.

COASTAL ZONE MANAGEMENT ACT CERTIFICATION: Section 307(c)(3) of the Coastal Zone Management Act of 1972, as amended by 16 U.S.C. 1456(c)(3), requires the applicant to certify that the described activity affecting land or water uses in the Coastal Zone complies with the Alaska Coastal Management Program. This GP will not be issued until the Office of Project Management and Permitting, Department of Natural Resources, has concurred with the applicant's certification.

PUBLIC HEARING: Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this proposed GP. Requests for public hearings shall state, with particularity, the reasons for holding a public hearing.

CULTURAL RESOURCES: Federal applicants must follow the provisions of Section 106 of the National Historic Preservation Act of 1966 as amended by consulting with the State Historic Preservation Officer (SHPO) to identify, evaluate, and assess the effect of their projects on historic properties, pursuant to Section 106 of the National Historic Preservation Act of 1966, as amended. Mitigation of adverse effects shall be accomplished in consultation with the Advisory Council on Historic Preservation (Council). State agencies shall consult with the DA, SHPO, and, if necessary, the Council to take into account the effect of the work on historic properties, pursuant to Section 106 of the National Historic Preservation Act of 1966, as amended. This Public Notice for the modification of GP 83-8P, cited above, initiates consultation with SHPO pursuant to Section 106 of the National Historic Preservation Act of 1966, as amended. Any comments SHPO may have concerning currently unknown archeological or historic data that may be lost or destroyed by work applied for under the proposed GP will be considered in our final assessment of the application.

ENDANGERED SPECIES: The project area is within the known range of the Spectacled and Steller's eiders, both listed as threatened species pursuant to the Endangered Species Act of 1973 (87 Stat. 844). Preliminarily, the described activities will not affect threatened or endangered species. However, the U.S. Fish and Wildlife Service has proposed to designate areas of critical habitat for the Spectacled and Steller's eiders within some of the proposed boundaries covered by the proposed GP. This application is being coordinated with the U.S. Fish and Wildlife Service and the National Marine Fisheries Service. Any comments they may have concerning endangered or threatened wildlife or plants or their critical habitat will be considered in our final assessment of the described work.

ESSENTIAL FISH HABITAT (EFH): The proposed work is being evaluated for possible effects to Essential Fish Habitat (EFH) pursuant to the Magnuson Stevens Fishery Conservation and Management Act of 1996 (MSFCMA), 16 U.S.C. et seq and associated Federal regulations found at 50 CFR Part 600 subpart K. The Alaska District includes areas of EFH as Fishery Management Plans. We have reviewed the January 20, 1999, North Pacific Fishery Management Council's Environmental Assessment to locate EFH areas as identified by the national Marine Fisheries Service (NMFS).

We have determined that the described activities within the proposed area will not adversely affect EFH, including anadromous fish and federally managed fishery resources.

EVALUATION: The decision whether to adopt revisions to the GP will be based on a determination that the purpose specified above can be accomplished in an environmentally acceptable manner. This determination will be made after preparation of an Environmental Assessment including anticipated cumulative effects.

The Corps of Engineers is soliciting comments from the public; Federal, State, and local agencies and officials; Native groups; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed procedure. Any comments received will be considered by the Corps of Engineers to determine whether this GP should be adopted. To make this decision, comments are used to assess impacts on endangered and threatened species, historic properties, water quality, general environmental effects, and other public interest factors. Comments are used in the preparation of an Environmental Assessment (EA) pursuant to the National Environmental Policy Act (NEPA). Because an EA will be written for the GP, EAs will not be written for each individual action that may be authorized under the proposed GP.

This GP will not be implemented if it is determined that significant impacts to the quality of the human environment could result from activities subject to the procedure. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed procedure.

Comments on the described GP, with the reference number, should reach this office no later than the expiration date of this Public Notice to become part of the record and be considered in the decision. If further information is desired concerning this notice, contact Mr. Robert W. Jobson, Jr. at (907) 753-2716, or by email at Robert.W.Jobson@poa02.usace.army.mil.

AUTHORITY: This GP will be issued or denied under the following authority:

(x) Discharge dredged or fill material into waters of the United States—Section 404 Clean Water Act (33 U.S.C. 1344). Therefore, our public interest review will consider the guidelines set forth under Section 404(b) of the Clean Water Act (40 CFR Part 230).

District Engineer
U.S. Army, Corps of Engineers

Attachments

**RE-ISSUANCE OF
GENERAL PERMIT 83-8P (PROPOSED GP 83-8Q)
ARCTIC SLOPE HOUSING AUTHORITY REGION, ALASKA**

INTRODUCTION

The District Engineer, Alaska District, Corps of Engineers, is proposing to re-issue General Permit 83-8P (proposed GP 83-8Q) for certain activities under authority of Section 404 of the Clean Water Act (Public Law 95-217, 33 U.S.C. 1344 *et seq.*), to authorize the placement of dredged and/or fill material and structures into wetlands, for activities associated with the construction of foundation pads for domicile, public and commercial development; associated driveways; parking areas; access roads; and other commercial, public and domicile development within the (8) villages of Anaktuvuk Pass, Atqasuk, Barrow, Kaktovik, Nuiqsut, Point Lay, Point Hope, and Wainwright, Alaska.

APPLICABILITY

As proposed GP 83-8Q would authorize the placement of fill material into wetlands in (8) villages (Anaktuvuk Pass, Atqasuk, Barrow, Kaktovik, Nuiqsut, Point Lay, Point Hope, and Wainwright, Alaska), located within the ASHA Region (see Attachment "A" for maps of Regional and village boundaries). The discharge of fill material for activities such as land clearing and backfilling in wetlands will be authorized for the purpose of constructing foundation pads for domicile, public and commercial development; associated driveways and access roads; and sanitation and utility facilities, including State approved sewage facilities. In areas beyond the village boundaries and within the ASHA as depicted in Attachment A, placement of fill material for construction of foundation pads for domiciles will be the only work authorized by proposed GP 83-8Q. **THE PLACEMENT OF FILL FOR INDUSTRIAL DEVELOPMENT WOULD NOT BE PERMITTED BY PROPOSED GP 83-8Q.**

DEFINITIONS

1. Domicile development is defined as the construction of a dwelling; a place of residence; or a person's fixed, permanent, and principal home for legal purposes. Domicile development also includes work performed in association with the installation of a dwelling's septic/sewer system and driveway.
2. Public development is defined as the construction of facilities relating to business or community interests as opposed to private interests. Public development allowed by this permit will include the discharge of fill in wetlands for public buildings such as city halls, church buildings, post offices, and fire stations.
3. Commercial development is defined as the construction of private facilities for the exchange of buying and selling commodities. Commercial development that would be permitted by this proposed GP include, movie theaters, pool halls/arcades, video rental stores, bingo halls, hotel/restaurants, hair salons, tanning salons, fabric/dress shops, daycare/babysitting facilities, lumber and

hardware stores. Other similar projects will need to be approved by the District Engineer.

REQUIREMENTS FOR GP USE

The following describes all General and Special Conditions that apply to the proposed GP. All General and Special Conditions must be met in order for the work to be authorized under the proposed GP. If the proposed work does not meet the requirements of the terms and conditions, this GP will not apply to the proposed work, and a review of the proposed work will be processed under the standard processing procedures of a DA individual permit. If the work is authorized under this GP, failure to comply with the terms and conditions of this GP may result in suspension of the work, revocation of the permit, removal of fill, restoration of wetlands, and/or imposition of penalties as provided by law.

SPECIAL CONDITIONS

1. The permittee shall maintain the work authorized herein in good condition and in accordance with approved plans and drawings.
2. The boundaries of fill areas in wetlands must be staked or flagged every 100 feet prior to construction to prevent inadvertent encroachment of wetlands.
3. The maximum pad dimensions for each facility shall not exceed 12,500 square feet (i.e., total fill for the housing pad, parking area and driveway or access fill may not exceed 12,500 square feet). In recognition of the advanced planning and public involvement in the North Slope Borough's capital improvement program (civil works) approval process, similar projects for civil works proposals may exceed the square footage up to one (1) acre upon approval from the District Engineer or his designee.
4. Access roads and driveways shall be constructed and maintained at a maximum bottom width of 48 feet and a maximum top width of 36 feet.
5. To adequately protect the underlying permafrost from thermal degradation, a layer of fill material at least 4 feet thick, or a sufficient amount must be placed on the ground to maintain the integrity of the permafrost. Signs of thermokarsting or standing water indicates non-compliance with this condition.
6. To the extent practicable, the fill must consist of clean, uncontaminated gravel or rock.
7. Natural drainage patterns must be maintained using appropriate ditching, culverts, storm drain systems and other measures, to the extent practicable, without introducing ponding or drying. Excessive ponding and/or dewatering of areas adjacent to fill areas shall indicate non-compliance with this condition.
8. There shall be no discharge of fill material for pad or road construction within 100 feet of the high tide line of any tidal water, nor within 100 feet of the ordinary high water mark of any lake, stream, river, pond, slough, or other non-tidal waters

9. No activity authorized by this GP shall adversely affect historic properties. The Borough's Inupiat History, Language and Cultural Division (IHLC) shall review each application for the presence of historic properties within the following villages: Anaktuvuk Pass, Atqasuk, Barrow and Wainwright. If any historic properties are located or suspected to be present, the IHLC shall inform the Corps. The Corps shall then consult with the State Historic Preservation Office (SHPO) before authorization under this GP is granted. If during prosecution of the proposed work, previously unknown or undetected archeological or historic remains are identified, the Permittee shall immediately inform this office at 907-753-2712 or 800-478-2712, the Borough's IHLC at 907-852-0320, and SHPO at 907-269-8721. The District Engineer shall initiate the necessary coordination with the SHPO to determine if the remains are eligible for listing on the national Register of Historic Places, and what further review and actions are required pursuant to Section 106 of the National Historic Preservation Act of 1966, as amended.
10. Pursuant to Section 7(a)(2) of the Endangered Species Act of 1973 (Act), the proposed activity shall not adversely affect any species listed as threatened or endangered under the Act. Additionally, the proposed activity shall not jeopardize the continued existence of any proposed species under the Act. Currently, the Spectacled and Stellar's eiders are species listed as threatened under the Act. The U.S. Fish and Wildlife Service (Service) has proposed to designate a large portion of the North Slope as having critical habitat for the continued existence of these two bird species. Therefore, the Borough must contact the Service in regard to projects in certain areas within Barrow, Nuiqsut, and Wainwright as determined by the Service and the Borough. If it is determined that listed species are likely to be adversely affected, and/or proposed species are likely to be jeopardized by the permitted action or related activities, this GP shall not apply to this specific activity, or shall be suspended until Section 7 Consultation is completed.
11. The activity shall not be located within 600 feet of any Spectacled or Steller's eider's nest site unless the Service determines that the proposed activity will not adversely impact the eiders.
12. This GP does not supercede activities currently covered by DA Nationwide Permits.
13. This authorization does not obviate the need for other Federal, State, and local permits, licenses, or approvals that may be required for the proposed work.

GENERAL CONDITIONS

1. You must maintain the activity authorized by this permit in good condition and in conformance with the terms and conditions of this permit. You are not relieved of this requirement if you abandon the permitted activity. Should you wish to cease to maintain the authorized activity or should you desire to abandon it without a good faith transfer, you must obtain a modification of this permit from this office, which may require restoration of the project area.

2. If you discover any previously unknown or otherwise undetected historic or archeological remains while accomplishing the activity authorized by this permit you must immediately notify this office of what you have found. The Corps will initiate Federal and State coordination required to determine if the remains are eligible for listing on the national Register of Historic Places, and what further review and actions are required pursuant to Section 106 of the National Historic Preservation Act of 1966, as amended.
3. If you sell the property associated with this permit, you must contact the Alaska District Corps of Engineers to validate the transfer of this authorization.
4. If a conditioned water quality certification has been issued for your project, you must comply with the conditions specified in the certification as special conditions to this permit.
5. You must allow representatives from this office to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of your permit.

FURTHER INFORMATION

1. Limits of this authorization:
 - a. This permit does not obviate the need to obtain other Federal, State, or local authorizations required by law.
 - b. This permit does not grant any property rights or exclusive privileges.
 - c. This permit does not authorize any injury to the property or rights of others.
 - d. This permit does not authorize interference with any existing or proposed Federal project.
2. Limits of Federal Liability. In issuing this permit, the Federal Government does not assume any liability for the following:
 - a. Damages to the permitted project or uses thereof as a result of other permitted or un-permitted activities or from natural causes.
 - b. Damages to the permitted project or uses thereof as a result of current or future activities undertaken by or on behalf of the United States in the public interest.
 - c. Damages to persons, property, or to other permitted or un-permitted activities or structures caused by the activity authorized by this permit.
 - d. Design or construction deficiencies associated with the permitted work.
 - e. Damage claims associated with any future modification, suspension, or revocation of this permit.
3. Reliance on Applicant's Data: The determination of this office that issuance of this permit is not contrary to the public interest was made in reliance on the information the applicant provided.
4. Reevaluation of Permit Decision. This office may reevaluate its decision on this permit at any time the circumstances warrant. Circumstances that could

require a reevaluation include, but are not limited to, the following:

- a. You fail to comply with the terms and conditions of this permit.
- b. The information provided by you in support of your permit application proves to have been false, incomplete, or inaccurate (see 3 above).
- c. Significant new information surfaces which this office did not consider in reaching the original public interest decision.

Such a reevaluation may result in a determination that it is appropriate to use suspension, modification, and revocation procedures contained in 33 CFR Part 325.7 or enforcement procedures such as those contained in 33 CFR Part 326.4 and 326.5. The referenced enforcement procedures provide for the issuance of an administrative order requiring you to comply with the terms and conditions of your permit and for the initiation of legal action where appropriate. You will be required to pay for any corrective measures ordered by this office, and if you fail to comply with such directive, this office may in certain situations (such as those specified in 33 CFR Part 209.170) accomplish the corrective measures by contract or otherwise and bill you the cost.

PROCEDURES

The following procedures will be required as part of the proposed GP:

1. The North Slope Borough (NSB) shall verify the applicability of the GP and track and report specific activities authorized by it.
2. All persons desiring to perform work under the proposed GP must submit an application (Attachment B) to the Planning Department of the NSB which requires the following information: plans showing the location and size of the area(s) to be filled, and a description of the proposed work including identification of its purpose and intended use.
3. All persons, including agencies of the NSB are required to contact the Permitting Division, Planning Department, NSB, at least ten (10) days prior to placement of any fill.
4. Authorization to proceed must be received from the NSB prior to the placement of any fill. Failure to receive this separate authorization will constitute a denial without prejudice of Corps authorization under this GP.
5. In cases involving proposed work similar, but not identical to that identified in this permit, or for Borough civil works projects between 12,500 square feet and one (1) acre in size, the NSB shall submit to the Corps, on a case-by-case basis, the project proposal and plans. The District Engineer shall determine whether the work is authorized under this GP.

REPORTING REQUIREMENTS

The NSB shall provide the Corps with copies of all applications and determinations made under GP 83-8Q as they occur, except when historic properties or threatened or endangered species are identified. In these instances, the Corps will consult with the State Historic Preservation Office, the National Marine Fisheries Service, or the U.S. Fish

and Wildlife Service, then inform the Borough whether, and/or under what conditions, the GP authorization can be granted. Copies of all applications and determinations shall be sent to: North Section, Regulatory Branch, CEPOA-CO-R-N, Post Office Box 6898, Elmendorf AFB, Alaska 99506-0898, or email to Robert.W.Jobson@poa02.usace.army.mil.

MONITORING REQUIREMENTS

The NSB shall provide the Corps with a yearly monitoring report (see Attachment C) which will include the file number of each project, location of the project, and the current status of each referenced project. These reports shall be submitted to the Corps by December 31, of each year. These reports shall be sent to: North Section, Regulatory Branch, CEPOA-CO-R-N, Post Office Box 6898, Elmendorf AFB 99506-0898, or e-mail to Robert.W.Jobson@poa02.usace.army.mil.

EXTENSION, MODIFICATION AND REVOCATION OF ABBREVIATED PERMIT PROCEDURE

This GP will be in effect for a period of five (5) years. At the end of the 5-year period, an evaluation of the GP will be made and at that time, it will be decided whether or not this GP should be renewed. This GP may be modified or revoked by issuance of a Public Notice at any time the District Engineer determines that it is appropriate to do so. Following such revocation any future activities in areas covered by this GP will be processed as standard individual permits.

FOR THE DISTRICT ENGINEER:

Kevin D. Morgan
Alaska District, Corps of Engineers

Date

**AUTHORIZATIONS UNDER GP 83-8P
SEPTEMBER 7, 2000 THROUGH AUGUST 3, 2005**

Number of Communities Served: 8


Anaktuvuk Pass, Atkasuk, Barrow, Kaktovik, Nuiqsut, Point Lay, Point Hope, and Wainwright, Alaska.

Number of Authorizations: 27

Average footprint: 0.05 acres


Approximate acreage filled for all projects: 10.00 acres

ARCTIC SLOPE REGIONAL HOUSING AUTHORITY



ANAKTUVUK PASS

1" = 1200.00'




Boundary consists of:
Summer St. Extension, Plat 88-5
Portion of Anaktuvuk Pass School
Site, Plat 25-1
Extension of SW Boundary of
Tract C, Plat 80-16
Airport Tract, Plat 88-4
Extension of NW Boundary of
Tract D, Plat 85-9
East Addition No. 1, Plat 80-17
USS 4480
Cemetery Tract
Interim Conveyance #609
Plat 85-9

A T Q A S U K

1" = 1800.00'

Boundary consists of;
Atqasuk Addition Townsite,
ADD # 2, Plat 83-4
Atqasuk Townsite, Add 1
Tract K, Plat 84-14
Tract J and Streets, Plat 84-1
Plat 93-3




BARROW

1" = 3200.00'


Boundary consists of:

- Tract R1, Plat 87-20
- Tracts A and B, Plat 87-6
- Browerville Addition 4, Plat 86-13
- Portions of the Airport Tract, USS 4227
- Plat 91-18
- Plat 91-3 (cemetery Tract V)
- Browerville Addition 5, Plat 91-16
- Interim Conveyance #1436



KAKTOVIK

1" = 1000.00'




Portions of USS 4234
Tracts D & E, Plat 85-1
Tract F, Plat 86-11
Tract A, B & C, Plat 80-4
Tract 1, Block 11, Plat 78-1
Pipsuk St. Right-of-way, Plat 83-13
Portion of Tract C, Plat 80-4
& remnant, Block 11, USS 4234
Plat 91-14
Interim Conveyance #1250

NUIQSUT

1" = 1600.00'


Boundary consists of:
Tract E & Lagoon Tract ROW,
Plat 83-11
Tract F & Nigliq St., Plat 83-10
Airport Tracts 1-6, Plat 87-12
Nuiqsut Village Sites, N & S including
Airport Road & excluding Water Lake
Road, Plat 79-3
Community Service Center,
Anaktuvuk St., Plat 76-4
Tract D, Lagoon Tract, & Road
Utility & construction corridor
ROW, Plat 81-5
Tract C & Pausanna St., Plat 81-4
Block 8, Plat 89-1
Nuiqsut Site S, Plat #94



Pt. Lay, Alaska


1" = 400.00'

Boundary consists of:
New Point Lay Townsite, Plat 80-7
Tract 7, Plat 87-19
Tract 7-A Plat 94-2



Boundary consists of:
New Point Hope Townsite, Add. 3, Plat 83-7
A Portion of Airport Road ROW, Plat 76-2
New Point Hope Townsite, Add. 2, Plat 80-19
New Point Hope Townsite, Plat 76-2
Interim Conveyance #1344


PT. HOPE
1" = 500.00'



WAINWRIGHT

1" = 800.00'

Boundary consists of:
USS 4418, Tract A
Blocks C-1, D-1, Block 10B (Lot 1)
Plat 80-10
Lots 5 & 6, Block D-lm Kits 1-6,
Block 27, Plat 86-17
Lots 1&2, Block 26, & Tract 1,
Wainwright Airport Add # 1,
Plat 84-3
Tracts 2A, 2B, 3A & 3B,
Wainwright Airport Add # 1,
Plat 86-1
Lots 9, 10, & 11, Block 24
Wainwright Airport Add # 1,
Plat 84-3
Tract K, Plat 87-5
Tract J, Plat 82-13
Plat 91-2
Plat 85-8



**Request for Approval to Conduct Work Under
Army Corps of Engineers
General Permit 83-8P**

Applicant

1. Name: _____
2. Address: _____
3. Name and Title of Contact Person: _____
4. Phone Number of Contact Person: _____

Proposed Work

5. Location:
 - a. Village: _____, Block _____, Lot _____
 - b. Outside Village (To nearest quarter section):
Township _____, Range _____, Section _____, Quarter _____
6. Development Type:
 - a. ___ Domicile (Dwelling) ___ Public Facility ___ Commercial
 - b. Purpose of fill (e.g. road, driveway, house, store, yard, improvement, etc...): _____
7. Brief description of proposed work: (Attach additional pages if necessary): _____
8. Dimensions of area to be filled:
Depth of fill _____ (ft.), Width _____ (ft.), Length _____ (ft.)

13. If the Corps granted approval, What was the Identification number, and who was the contact person from the Corps?

Identification Number

Contact Person (from the Corps)

_____ Request Approved; (Attached COE General Permit 83-8P conditions apply)

_____ Request Denied for the following reason(s), (See Attached Letter).

_____ Activity not authorized under GP 83-8P, as determined by the NSB Planning Department, Permitting Division.

_____ Activity not authorized under GP 83-8P, as determined by the Army Corps of Engineers, District Engineer.

_____ Violates special condition(s) or requirements of GP 83-8P as follows:

Date

Director of NSB Planning

YEARLY MONITORING REPORT

GP-83-8P

(Due by December 31 of each year)

Corps File Number	NSB File Number	Date Permit Issued	Location of Activity	Date Construction Started	Date Construction Completed	Additional Comments