
STATE OF ALASKA

2025

Application for Permits to Mine in Alaska (APMA)

Single Year V Multi-year St	art: 20:25 Finish: 2	2029 APMA NU	umber (A/F/J,Year,****)	
What type activity are you planning to pe	erform? *REQUIRED (1)	Surface estate of r	mineral properties: -REQUIRED	(2)
Suction Dredging/Reclamation Placer Mining/ Reclamation Hardrock Exploration/ Reclamation	Reclamation Only Access	State (General	State (Mental Health) Private City or Borough	
Check All That Apply: Mineral Prope	rty Owner Lessee	Operator	*Required	(3)
Name: Donovan Baggett	Prima	ary Phone Number:	719-963-1456	
Address:PO Box 576	Sec	ondary Phone Numb	oer:	
Kenai, Alaska 99611		ail:donovan1126@yal	noo.com	_
Click here for the Department of Comme Alaska Business/Corporation Entity#		ed Agent (Corp./LLC	ים וויי	
			*Required	- (4)
Check All That Apply: Mineral Prope		-	,	(4)
Address DO D. 1886		ary Phone Number:	719-371-0303 Der:	_
Kenai, Alaska 99611		ail: missybaggett82@y		_
-				
Alaska Business/Corporation Entity#	Register	ed Agent (Corp./LLC	C/LP)	
Check All That Apply: Mineral Prope	rty Owner Lessee	Operator	*Required	(5)
Name: Gavin Rutherford	Prima	ary Phone Number:	907-631-8637	_
Address: 7362 W Parks Hwy #371	Seco	ondary Phone Numb	per:	_
Wasilla, Alaska 99623	Em	ail:Rutherford.gavin49	Q@yahoo.com	_
Alaska Business/Corporation Entity#	Register	ed Agent (Corp./LLC	C/LP)	
Check All That Apply: Mineral Prope			*Required	(6)
		gry Phone Number:		(5)
111 202 456		-	per:	_
Kenai, Alaska 99611			@mail.com	_
Attach a separate sheet for additional co				
Alaska Business/Corporation Entity#		ed Agent (Corp./LL0		
Project Name If Applicable: (7)		orkers: REQUIRED (8)	Start-Up/Shut Down: (Month/Day)	(9)
	3		May 01toOct 31	
	Applicable USGS Map		On What Stream Is This Activity? Mineral Creek	(12)
Prince William Sound	Valdez A-1		Co-Internal Use Only	
Legal Description of mineral properties to Example: Fairbanks Meridian Township 001N Range 003E	Sections 15, 16, and 21 or F 001	N 003E Sec. 15, 16, and 21	Natural Resources	
Copper River Meridian Township 008S Rang Copper River Meridian Township 008S Rang			APR 21 2025	
Copper River Meridian Township 008S Rang				
			Mining Section RECEIVED	
Internal Use Only:			2 Anny	
Date Application Received Complete:	Adjudicator:		AS Entry:	
Sec 3 CID: 63044 Sec 4 CID: 691	Sec 5 CID:	Se Cacar	c 6 CID: 69530	

APMA 3258 Access Map





This map was created on 5/29/2025 by the Alaska Department of Natural resources as a courtesy to supplement the application received. This map displays a graphical illustration only. Source documents remain the official record.

The State of Alaska makes no express or implied warranties (including warranties of merchantability and fitness) with respect to the character, function, or capabilities of electronic services or products or their appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential or other damages suffered by the user or any other person or entity whether from the use of the electronic services or products, any failure thereof or otherwise, and in no event will the State of Alaska's liability to the requestor or anyone else exceed the fee paid for the electronic service or product.

Scale: 1:63,360

Legend



0 0.75 1.5 Miles

Center: 146°21'22"W 61°9'40"N

			MV_ST	_MINING			
	Sou	ırce: Alaska Departmen	t of Natural Re	esources, Information Res	source Managment		
Case ID	Case Status Description	Case Type Description	Claim Name	Customer Name	Reference Township Section	Special Code Description	Total Acres
ADL 739269	Active (35)	Mining Claim (713)	MCV-1	Baggett Donovan Lee	C008S006W19	Mining Claim (MC)	40
ADL 739270	Active (35)	Mining Claim (713)	MCV-2	Baggett Donovan Lee	C008S006W19	Mining Claim (MC)	40
ADL 739271	Active (35)	Mining Claim (713)	MCV-3	Baggett Donovan Lee	C008S006W19	Mining Claim (MC)	40
			END O	F REPORT			
			Report I	nformation			
Source ID	60						
Source Name	MV_ST_MINING						
Source Description							
Run Date and Time	05/29/2025 02:04:33	3 AKDT					
Record Count	3						
			SQL S	tatement			
CASE_ID,CASE_STAT	US,CASE_STATUS_DE						

		nims, are additional sheets with perties an Upland or Offshore				ions attached? No	Yes	Q No
	ADL/BLM/USMS #	PROPERTY NAME		ADL/BLM/U	SMS#	PROPERT	Y NAME	
	739269	MCV-I	7.					
	739270	MCV-2	8.					
	739271	MCV-3	9.					
			10.					
			11.					
			12.					
_			1 12					
	ach additional sheets a	ment to be used (make, mo	nsporting or	n a trailer to th	ie claim l	olock, include	the trailer Chec Located on the claim	SiZe. k One: Transporting to claim
_	Make, Model, John Deere 544b	Type, Size, Purpose of Equi	pment or P	ump	Quantit	y of this type	block?	block?
					1		-	
_	Cat 320 Box Truck 10 X 20' 5 Turus e CFG NTB45U, Mini ex ava tur				1			
	CFG NTB45U M	ni cx wards			1			~
	Duramax 4 inch pump	111 6 404001			2			V
	Keene 8 inch Dredge	•			1			V
	Predator 3 inch pump					2		~
	Takeuchi TL10 Skid Ste	er				1		~
		tates not owned by the Stat	te requires		e manag		It is the res	(ponsibility
	•	the owners of private proper	-				Winter [71 summ
		transporting equipment and		ig to and iron	i li le Ciali	II DIOCK!	1 value F	Summ
		ck crosses what type of la City/Borough		eral 🗍		Private		
	te 🗹			alai []	'	- IIVate		
<u>u</u>	All season Road (The	Access to the claim blocese are public easements in the claim block: Miner	maintained	by municipal, eck Rou	borough	, private, or s	state funds	for year
		ST/ RS 2477 Easement wit						
	If the RST/ RS 2477 E	asement(s) has a state of	, adold har					
]]	If the RST/ RS 2477 E Navigable Waterway	asement(s) has a ciate of	, adoka man	,,,				

Helicopter Pad Airstrip No Improvments or Construction Proposed

Inventory of Equipment Pg. 2

T.	·	D. world
	amontity	Located to claim
Predator 2 inch pump	2	
Shelcer Deck	l	
Trommel Washplants	2	
Mossy Furgusen Crawles (Bozar)	1	c/
John Deere 450	(

ACCESS TO THE CLAIM BLOCK, CONTINUED	(16)
Please describe your construction activities and include mitigation measures to protect water, fish and game resources. Include a time frame for final closure and a reclamation plan for access within the claim block. Attach additional pages if necessary: Trail to claim currently exist, it is Mineral Creek Trail	
A access map <u>MUST</u> be submitted with your application. Topographic maps at a scale of 1"=1 mile must clearly indicate the proposed access route from start to finish, location of proposed construction activities, and appropriate legal descriptions (township and range) on each map sheet. Paper size should be limited to 8 ½" x 11". Do not tape maps together.	
Name the individual(s) or business(es) who will be conducting the travel:	
N/A	
List all equipment and vehicles conducting travel to/from the claim block, including vehicle weights and season of transition of the N/A	avei.
N/A	
State the average total miles traveled in one round trip: State the number of trips proposed:	
State the start and end date(s) or period(s) or proposed traver	
Uplands ☐ Rivers or Other Water Bodies ☐ Wooded Areas (6" Trees or larger at breast height) Will water be needed to construct ramps/ ice bridges? ☐ Yes ✔ No	
If Yes, estimated quantity of water will be used: N/A gallons/day Water Source: N/A	
Are you transporting fuel? Ves No	Aquidad
Maximum volume of fuel (in gallons) that is being transported by one vehicle and any trailers or sleds it is towing:	
100 gallons	
Are you transporting other hazardous substances? Yes No If "Yes" indicate type and amount (e.g. gallons, I	bs, psi):
Engine Oil/Hydraulic Oil, up to 20 gallons of each as needed	
How are petroleum products contained? (i.e., drums, bladders, steel tanks, etc.) Indicate size of containers:	
Certified Steel Fuel Tnks, 55-gallon Drums	
How are petroleum products being transported? (i.e., skid-mounted tank, trailer, 55 gallon drums on skid, etc.)	
55 Gallon Drums, 1- and 5-gallon Containers, 1 Quart Containers	

ACCESS TO CLAIM BLOCK CONTINUED (16)
Does your travel include the staging or storage of equipment or structures off the claim block? Yes No If Yes, describe the location and dimensions of the long term or short term parking and/or storage areas.
PETROLEUM PRODUCT STORAGE (17)
Do you have an Oil Discharge Prevention and Contingency Plan approved by the Alaska Department of Environmental Conservation? Yes X No
Do you have either a trained spill response team or a contract with a spill response company? Ves No
Describe any measures you plan to take to minimize drips or spills from leaking equipment or vehicles: Containments for fuel and oil storage, sorbent pads on hand, regular maintenace and inspection of all vehicles and equipment,
Quantitiy Petroleum Products to be Stored on the Project Site?
1,321-10,000 gallons of total storage (count only containers with a capacity of 55 gallons or greater). A self-certified Spill Prevention, Control, and Countermeasure (SPCC) plan is required and applies to all products, such as diesel fuel, gasoline, lube oil, hydraulic oil and waste oil. The self certified SPCC form can be downloaded at: https://www.epa.gov/oil-spills-prevention-and-preparedness-regulations/tier-i-qualified-facility-spcc-plan-template.
10,000+ gallons of total storage (count only containers with 55 gallons or greater storage capacity). An SPCC certified by a professional engineer is required and applies to all oil products, such as diesel fuel, gasoline, lube oil, hydraulic oil and waste oil.
Indicate Distance Stored From Flowing Waters:200 Feet. (Minimum distance from naturally occurring water bodies required by DNR is 100 feet).
Is waste oil stored on the project site? Yes No If Yes, describe quantity and storage modality: less than 20 gallons in sealed, marked containers
Are fuel containment berms around storage containers? Yes No Is berm area lined? Yes No

BLM operators submitting a plan of operation must submit a spill contingency plan. Notice level operations are encouraged to submit a spill contingency plan. The optional BLM Spill Contingency Plan can downloaded from: https://www.blm.gov/sites/blm.gov/files/BLM-AK_spill-contingency-plan_APMA_worksheetSup.pdf

								(40)
		TEMPOR	RARY STRUCTUR	ES/F	ACILITIE	ES		(18)
Is a camp or If "No", Pleas	placement of <u>any</u> t e explain:	emporary struct	ure requested?	Ye	s No			
De	escribe all tempor	rary improveme	ents (including b	uildin	ıs. tent	platforms, out-l	buildinas. et	c
	•	including their	quantity, dimens	ions	and buil	lding type.	-	
	property is the car private land, provi		☑State □Fede	ral L		(Patented) 🔲	City or Borou	gh LIMHTL
Proposed per	rimeter dimensions	of camp:	100 Length (fee	t)	100	Width (feet).		
Request u	ise of existing faci ar-Round	ilities, list ADL(s) Seasonal, from): Approx.	to		, annually.		
✓ Request t	o place new tempo	orary structures,	list ADL(s):					
✓Yea	r-Round	Seasonal, from	Approx. Jan	to	Dec	, annually.		
	Temporary New	Existing Structure	Use (Shop,	office, e	tc.)	Dimensions	Dimensions (ft x ft)	Dimensions (ft x ft)
Framed	Structures Quantity 2	Quantity N/A	Workshop/Clean ro			(ft x ft) 10x20	(SEXIL)	(ILX IC)
Tent	4	N/A	Living Quarters			10x10		
Trailer	2	N/A	Living Quarters			8x32		
Platforms	1	N/A	Outdoor Kitchen			10x10		
Out-Buildings	2	N/A	Conex for Storage			8x20		
Other:		N/A						
tank, or pit pri	nd Biological Wa vy): storage that will be h			sed me	ethod of	disposal (e.g., le	each line, sep	tic, holding
disposal metho	- Describe the types d. Note: For on-site storage that will be	disposal on state l	land, additional auth					
freshwater bo	stance grey water, dy (lake, stream, r any use of animals	iver, rivulet, etc.), or the mean higl	n wate	r mark o	of a saltwater boo	n water mark dy: ^{300 ft}	of the nearest
Required:	Dismantle and	Removal for	Structures: P	rovide	a plan f	for dismantling a	nd removing	structures,
equipment, ar	nd storage tanks. I	include the meth	nod and timeline fo					•
	ed and removed by			ill be l	oaded on	trailer and remov	ed from the sit	e
				_				
-								_

400 4074 D -

1.44 (000)

	s processed annually:	cut operations with do: 4,000 yards		or, etc.)	(1
Suction Dredge	Mechanical Dredge (e.g., excavator or clam	ı-sneli)		
List all suction and mechanical				h extra sheet if	necessary.
	Dredge 1	Dre	dge 2	Dred	ige 3
Vessel ID (Name or Number)	Keene 8 inch Dred	lge 1	J/A	N	/A
Vessel Dimensions	8ft x 16 ft		√A	N	/A
Suction Dredge Intake Nozzle Diameter / Pump Size	Inches: 8 HP: I6	Inches: N/A	HP: N/A	Inches: N/A	HP:
Mechanical Dredge Bucket Volume	Cubic Yards: N/A	Cubic Yards: N	'A	Cubic Yards: N	'A
Processing Rate	Yds.3/Hr.: 20 yph	Yds.³/Hr.: N/A		Yds.3/Hr.: N/A	
Wastewater Discharge Rate	GРМ: N/A	GPM: N/A		GPM: N/A	
Maximum Water Depth	Feet: 20 ft	Feet: N/A		Feet: N/A	
Average Daily Operating Hours	6am thru 6pm	7	I/A	N	/A
Operation on Sea Ice (Yes/No)	Yes / No	Yes	No 🗸	Yes]/ No 🔽
Vessel Registration # / State	#: N/A s	tate: #: N/A	State:	#: N/A	State:
Please provide topographic below. Maps should (at minimethodology and rest Pits: Yes No No Estimated number of pits to be	nimum) have labeled eclamation of explora	Mineral Properties and tion activities must be	I labeled location described in the test pit be	ons of proposed e placer narrati e open if not co	l activities. ve.
verage Size: Length: 20 lacer Drilling: Yes btal number of holes to be drilled	Ft . Width: 1 No ed: 24	Ft. De	oth: 20 used: Auger B	Ft.	
Drillin	g and Test Pit Identii	cation and Mineral I	Property Infor	mation	
Trench/Hole ![on Map		ADL/BLM/USN	IS NUMBER	
Т			7392		
T			7392	70	
Т			7392	71	

Mechanical Placer Mining Estimated cubic yard	(e.g., terrestria s processed ar	mually:4.000	erations with do		or, etc.)	
Suction Dredge	Mechanical Di	redge (e.g., e	xcavator or clan	n-shell)		
ist all suction and mechanica	dredges. If infe	ormation is no	ot applicable, w	rite "N/A." Attac	h extra sheet if	necessary.
	Dred	lge 1	Dre	edge 2	Dre	dge 3
Vessel ID (Name or Number)	Keene 8 ir	ich Dredge	1	N/A	N	I/A
Vessel Dimensions	8ft x	16 ft		N/A	N	I/A
Suction Dredge Intake Nozzle Diameter / Pump Size	Inches: 8	HP: 16	Inches: N/A	HP: N/A	Inches: N/A	HP:
Mechanical Dredge Bucket Volume	Cubic Yards: N/	4	Cubic Yards: N	/A	Cubic Yards: N	/A
Processing Rate	Yds.3/Hr.: 20 ypł	1	Yds.3/Hr.: N/A		Yds.3/Hr.: N/A	
Wastewater Discharge Rate	GPM: N/A		GPM: N/A		GPM: N/A	
Maximum Water Depth	Feet: 20 ft		Feet: N/A		Feet: N/A	
Average Daily Operating Hours	6am th	ги брт	1	N/A	N	//A
Operation on Sea Ice (Yes/No)	Yes	/ No 🗸	Yes	No 🗸	Yes [/ No 🔽
Vessel Registration # / State	#: N/A	State:	#: N/A	State:	#: N/A	State:
below. Maps should (at mi Methodology and i est Pits: Ves No stimated number of pits to be	reclamation of e		tivities must be How long v	described in the	ne placer narratione open if not co	ve.
erage Size: Length: 20 licer Drilling: Yes lical number of holes to be drill	Ft. V	/idth: <u>10</u>		opth: 20	Ft. Bits	
Drillin	g and Test Pit	Identificatio	n and Mineral	Property Infor	mation	
Trench/Hole II	O on Map			ADL/BLM/USN	MS NUMBER	
(\overline{D}_{ℓ})	2			7392		
20				7392	270	
O				7392	271	

			EXPLOSIV	ES				(2
ill e	plosives be used?	Yes No if	Yes", Indicate:	Type:	Amount:			
(plo:	sive Handler's Certificat	ion/ATF Permit Nur	nbers:					
escr	be your blast design, b	last schedule, and e	xplosives handlir	ng plan i	n the project narrative.			
_			WATER ENTRAI	PMENT				(2
ill v	ou be capturing water for	use in mining operati			The entrapment is: Exis	ting 🗸	To be o	
	e does the water have a po				•	-		
					ft Width at base N/A ft of	the bern	n(s)	
					pond Stream diversion			
ow J	ong do you expect for the	entrapment to be in p	lace Perman	ent 🔲	1-3 years 🔲 3-5 years 🔽	5 or mo	re	
abo'	e ground, how many acre	e-feet is the maximum	capacity of water	stored fro	m ground level to crest of th	ne berm	N/A	
tal	volume in acre-feet = surf	ace area (acres) x aver	age depth (feet)	(1 acre =	43,560 square feet)			
here	is the topographic location	on of the water storag	area? 🔽 Valley	y bottom	Hillside			
on a	hillside, Approximately h	ow many feet is the w	ater storage above	the valley	floor N/A ft			
	7				HOOI			
					A HOOL TO THE			
-ST st ar	REAM ACTIVITIES and	d STREAM CROSS	INGS that will be cross	sing strea	ams (including low-water	crossin	gs	(2
-ST st ar ong	REAM ACTIVITIES and by equipment (refer to Be established trails/roads and Excavator	d STREAM CROSS lox 15 if necessary)) or used in any nat	INGS that will be cross ural waterbody o	sing strea r used in	ams (including low-water -stream:	crossin	gs	(2
I-ST st ar ong	REAM ACTIVITIES and any equipment (refer to Be established trails/roads	d STREAM CROSS fox 15 if necessary) or used in any nate tion dredge or pump NAD 83 Datum (a) be obtained	INGS that will be cross ural waterbody o	sing streat r used in ding unna ties can r	ams (including low-water -stream:	Check		indicate
-ST st ar ong	REAM ACTIVITIES and by equipment (refer to Be established trails/roads and Excavator	d STREAM CROSS fox 15 if necessary) or used in any nate tion dredge or pump NAD 83 Datum (a) be obtained	INGS that will be cross ural waterbody of	sing strea r used in ding unna des can r eller	ams (including low-water -stream:	Check	boxes to	indicate
-ST st ar pong ozer	REAM ACTIVITIES and by equipment (refer to Be established trails/roads and Excavator I stream crossings, such Stream Name/	d STREAM CROSS ox 15 if necessary)) or used in any nate tion dredge or pump NAD 83 Datum (ap be obtained http://dnr.alast	INGS that will be cross ural waterbody of locations, include proximate) Coordina using Alaska Mapper a.gov/mapper/contro	sing strea r used in ding unna tes can r eller	ams (including low-water -stream: amed streams. MTRSC 1/4 1/4	Check type	boxes to	Indicate
-ST tt ar pong pozer st al	REAM ACTIVITIES and by equipment (refer to Be established trails/roads and Excavator I stream crossings, such Stream Name/ Water Source	d STREAM CROSS ox 15 if necessary)) or used in any nat tion dredge or pump NAD 83 Datum (a) be obtained http://dnr.alasi Latitude ddd.mmmm	INGS that will be cross ural waterbody of locations, include proximate) Coordina using Alaska Mappe a.gov/mapper/contro Longitu -ddd.mm	sing strea r used in ding unna des can r deler	ams (including low-water -stream: amed streams. MTRSC 1/4 1/4 Ex: F001S001N01 SWSW	Check type	poxes to	Indicate
-ST at arrong ozer st al	REAM ACTIVITIES and by equipment (refer to Be established trails/roads and Excavator I stream crossings, such Stream Name/ Water Source Mineral Creek	tion dredge or pump NAD 83 Datum (ap be obtained http://dnr.alast	INGS that will be cross ural waterbody of locations, include proximate) Coordina using Alaska Mapper a.gov/mapper/contro Longitu -ddd.mm	sing stream rused in ding unnates can ruseler ande to the street of the	MTRSC 1/4/ Ex: F001S001N01 SWSW C008S006W19SENE	Check type	poxes to	Water Intake
-ST st ar ong	REAM ACTIVITIES and by equipment (refer to Be established trails/roads and Excavator I stream crossings, such Stream Name/Water Source Mineral Creek	d STREAM CROSS ox 15 if necessary)) or used in any nat tion dredge or pump NAD 83 Datum (a) be obtained http://dnr.alast Latitude ddd.mmmm 61.1615N 61.1605N	INGS that will be cross ural waterbody of locations, includes proximate) Coordina using Alaska Mappe a.gov/mapper/contro Longitu -ddd.mm 146.357	sing stream rused in ding unnates can rused in de in mm 6W 5W	ms (including low-water -stream: amed streams. MTRSC ¼ ¼ Ex: F001S001N01 SWSW C008S006W19SENE C008S006W19SENE	Check type	poxes to	Water Intake

,

WATER USE AUTHORIZATIONS

If water is impounded, withdrawn, or diverted, the ADNR Water Resources Section needs to review the water sources and water uses to determine if a water use authorization is needed. Water usage (including from 100% recycle pond systems) may require approval by issuing a Temporary Water Use Authorization (TWUA) or a Water Right. Information provided below will be used to determine the quantity of water that you may be authorized to use for your mining operation. When estimating water quantities, please estimate withdrawal amounts typical of a dry summer and provide the maximum quantity that you may withdraw from a particular source (e.g., stream, pond, groundwater, etc.) in a season. A TWUA application may be initiated from this APMA, unless a Water Right is requested. Please contact the ADNR, Water Resources Section at telephone number (907) 451-2790 for more information.

•	Is there a current Water Right within the proposed mineral property boundary?	Yes	No 🎚
---	---	-----	------

• If yes, provide the LAS or ADL Water Right Case File number:

• What are the months of water use needed (for example May 1st through October 31st)? April 15th - Nov 15th

Name & Location of Water Source(s):

- If water is required to fill or to maintain water in the recycle/settling pond system check the applicable box (table below in part A) for each water source used. Please note that a recycle/settling pond system is a water source (5 sources per TWUA). Stormwater from rainfall or snowmelt do not require water use authorizations.
- Identify each water source and its geographic location using MTRS. Include Lat/Long coordinates if available.

Example: Finger Lake: Fairbanks Meridian, Township 3 North, Range 3 West, Section 20.

MTRS: F3N3W 20

Lat/Long: 65* 4* 15* N; 148* 12* 43* W

A. Name & Location of Water Source(s). No more than 5 water sources per TWUA. Attach list of additional sources if needed. A \$450 fee is associated with each TWUA. The APMA paperwork is all that is needed to apply for TWUAs. For example, if there are 20 sources listed in the APMA, 4 TWUA case files will be generated. When submitting an APMA, a separate Application for Temporary use of Water form is not needed. Provide the geographic name or locally Start-Up Water and/or Make-Meridian Section(s) know name of water Township Range Up Water? Check each Source.(Recycle/settling ponds, creek, applicable box. stream, well, etc.) If requesting a stream reach, clearly identify the entire stream reach on a legible map. Start-Make-Example: Up X Х Up F 3N 3W 20 **Unnamed Creek** Make-Up 1. Start-Up C **8S** 6W 19 Mineral Creek Latitude: 61.1605N Longitude: 146.3575W Start-Up Make-Up 2. Latitude: Longitude: Start-Up 3. Make-Up Longitude: Latitude: Start-Up 4. Make-Up Latitude: Longitude: 5. Start-Up Make-Up Latitude: Longitude:

B. Water Use Activities. Complete applicable information for each source. For recycle/settling pond system complete part C. Recycle/Settling Pond System. For stream diversions also complete Section 29.

Geographic Name of Water Source (Same as sources Above). Describe the water use information for each source. For recycle/settling pond system complete Section C.	Diversion (gpm/cfs)	Withdrawal Rate (gpm/pump)	Number of Pumps	Hours per Day	Days per Month
1. Mineral Creek	300	300	2	8	15
2.					
3.					
4.					
5.					

C. Recycle/Settling Pond System	Withdrawal Rate (gpm/pump)	Number of Pumps	Hours per Day	Days per Month	Additional Notes:
This system will also need to be listed as a water source in Section A. This entire pond system counts towards the 5 sources allowed per TWUA. Provide Length (L), Width (W), and Depth (D), of each pond.	300	2	8	15	
	Pond # 1: L: 30 ft	W: 50 ft D: 15	5 _{ft}	Pond # 2: L: 30 ft W: 50ft D: 15 ft	
Beaver ponds or similar nature made impoundments will not be permitted for use as settling ponds.	Pond # 3: L:30 ft	: W:50 ft D:	ft	Pond # 4: L: 50 ft W:70 ft D: 15 ft	

D. Camp Water Uses Provide information on camp water uses. If an ADEC public drinking water system is used, please attach certificate to operate and/or associated documents.	Maximum # of People in Camp	Withdrawal Rate (gpm/pump)	Number of Pumps	Hours per Day	Days per Month	Source(s) of Water Well, Haul, Stream, Spring, Lake Source(s) will count towards the 5 sources identified in Section A.
	6	320	7	1	30	Lake, Self Contained
	Additional N	lotes:				

WATER USE AUTHORIZATIONS CONTINUED (24)						
E. Exploration Activities A map of your requested drilling water sources is required with the following information: -MTRS sections, -stream reaches or other water	Is Water Needed for Exploration Trenching or Drilling?	Withdrawal Rate (gpm/pump)	of	Hours per Day	Days per Month	Source(s) of Water Well, Haul, Stream, Spring Lake, etc. Source(s) will count towards the 5 sources identified in Section A.
sources (please label, including take points if known) -and drill hole locations.	N/A	N/A	N/A	N/A	N/A	N/A
D. SUCTION DREDGING. If suction dredging activity is occurring, please ensure that you have completed the dredge table in Section (19) MINING METHOD.						
TIMBER CLEARING AND USE (Operations on State Lands Only) Pursuent to AS 38.05.255, timber from land open to mining without lease, except "timberland", may be used by a mining claimant or prospecting site locator for the mining or development of the location or adjacent claims under common ownership. Timber not used for the mining or development of the location or adjacent locations, that is removed from the operation must be acquired via timber sale or written letter of non-objection from the Alaska Division of Forestry.						
For questions on the appropriate use of timber on federal mining claims, contact your local BLM field office. On other lands ("timberlands" and in areas that are closed to mining without lease), timber cleared, used and/or removed must be acquired via a timber sale or a written letter of non-objection from the Alaska Division of Forestry.						
Will timber be used for the mining or development of the location or lease? Yes Yes Yes Yes Yes Yes Yes						
Describe the amount of timber to be used for the mining or development of the location or lease and the clearing methods you will use.						
Are more than 40 acres of timbered area(s) to be cleared? Yes Wo						

¹¹ AAC 86.145. "A classification or designation indicating that timber and other forest products of significant value are included within a mining property is prima facie evidence that the land on which the property is located is considered to be "timberlands" for purposes of AS 38.05.255"

WASTEWATER DISCHARGE PERMIT APPLICATION All mechanical placer mine, suction dredge, and mechanical dredge operations that discharge to a water of the U.S. require an Alaska Pollutant Discharge Elimination System (APDES) permit from DEC. See Cover Pages for a list of APDES permit fees. Operations wishing to discharge under the APDES Small Suction Dredge General Permit (dredges with intake diameters of 6" or less, or highbankers) may skip this section but must complete annual online registrations, including \$25 fee payments, at https://dec.alaska.gov/water/edms. Previously issued DEC-APDES Wastewater discharge permit #: N/A Do you want this APMA to act as an application or renewal for any of the following APDES general permits (GPs)*: Mechanical Placer Miners GP (open-cut terrestrial operations): □ No ✓ Yes Medium-Size Suction Dredge GP (nozzle diameter greater than 6" to 10"): No No Norton Sound Large Dredge GP (nozzle diameter greater than 10" or mechanical dredge): Waterbody the discharge flows directly into, or would potentially flow: Mineral Crock Approximate coordinates of mine site: Longitude: 146.3576W Latitude: 61.1615N Source (e.g., DNR - Alaska Mapper): Alaska Mapper *Mechanical placer operations that do not elect coverage under the Mechanical Placer Miners GP may be required to obtain coverage under the Multi-Sector General Permit for Storm Water. Contact DEC to terminate a permit. Optional* - Mixing Zone Request or Termination for Mechanical Placer Mine Operations ₩ No Do you wish to apply for a mixing zone and modified turbidity limit from DEC? Yes If a mixing zone is requested, provide the following: Longitude: Coordinates of discharge location: Latitude: Maximum Effluent Flow anticipated from your operation _____ (GPM) [must be greater than zero (0)]. Distance to nearest downstream drinking water source and downstream placer mine Do you wish to terminate an active authorized mixing zone? Yes (APDES#_____) \ \square No *A mixing zone authorizes an increase in the permit's turbidity limit based on available dilution from the surface water. Permittees without mixing zones must meet the water quality standard for turbidity at the point of discharge into the surface water. Certification Statement – applicable only to information required for DEC authorizations (required for all DEC permit or mixing zone applicants) I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Signature of Responsible Party:

Responsible Party Name (First Last, Position) - Printed: DONOVAN BAUGETT

Business Name (if applicable) - Printed:

SECTION 404 WETLANDS PERMIT

JURISDICTIONAL DETERMINATION (CORPS JD) and MITIGATION STATEMENT

All Placer Mining applicants are required to contact the Corps of Engineers for submittal requirements.

A complete application for a Department of the Army (DA), U.S. Army Corps of Engineers (Corps) Section 404 permit includes a description of project impacts (contained in the APMA), a Jurisdictional Determination (JD) and a Mitigation Statement. The applications for the JD and the Mitigation Statement are contained in two Corps Supplements, which may be attached to this APMA. The Supplements may be downloaded from the Corps and DNR websites, or obtained directly from a Corps office in paper copy, by email, or mail. Please contact the Corps to determine what supplements are required.

The Supplements are available at: https://www.poa.usace.army.mil/Missions/Regulatory/Placer-Mining/

<u>Corps Supplement, Attachment 1, Jurisdictional Determination:</u> Attachment 1 must be filled in and submitted to the Corps for all new placer applications (New and Existing Operations). Photos of your mine site are required. Your JD will be valid for five years. Your photos will be used only for the purpose of conducting an offsite JD.

Corps Supplement, Attachment 2, Mitigation Statement: Alaska District regional mitigation policy for placer mining operations under this General Permit (GP) emphasizes avoidance and minimization of impacts; compensatory mitigation is not required. However, by regulation, a Mitigation Statement covering measures for avoidance, minimization, and compensatory mitigation, or, a reason why compensatory mitigation is not proposed, must be submitted to the Corps with each new APMA for projects that impact waters of the U.S.

Latitude: 61.1635N	Longitude: - 146.3607W					
Source (e.g., DNR - Alaska Mapper): Alaska Mapper						
Please list Corps permits previously issued for this site: POA, POA						
	Certification Statement					
Application is hereby made for information in the APMA, and a	the APMA as a pre-construction notification, pur a permit to authorize the work described in this any required Supplements, is complete and accurate and accurate the work described herein or am acting as the	APMA. I certify the urate. I further certify that I				
Operator or Agent:						
DONOVAN BAGGET						
へつか いひびみぬ り かんにんれて	1/25					

Page 12

STREAM DIVERSION AND CULVERTS

A MAP OF COMPLETE STREAM DIVERSION IS REQUIRED: The map MUST show the entire length of the diversion (i.e., where the water is diverted from the natural stream channel to where it returns to the natural stream channel) with start and end locations clearly marked. Pending on the scale of the proposed diversion, additional maps, construction details, and a stream reclamation plan may be requested in addition to this section after initial review. Operations on BLM lands that are proposing a stream diversion are encouraged to contact their local field office as early as possible in the permitting process due to additional requirements. Contact ADF&G, Habitat Section for Fish Habitat Permitting information regarding diversion requirements.

Please note: A stream diversion structure may also qualify as a dam and be subject to the Alaska Department of Natural Resources Dam Safety Program per definitions provided in AS 46.17.900(3). If you require further regulatory guidance regarding dams, please contact our Dam Safety and Construction Unit, Dam Safety Engineer at (907) 269-8636, or for more information go to the Alaska Dam Safety Program website at: http://dnr.alaska.gov/mlw/ , water/dams/

Is Stream Diversion Required? Yes (if Yes, complete information below).
Stream Name: Mineral Creek
□ Existing (Date Constructed □ To Be Constructed (Date 6/1/2025) Diversion Start/upstream Location (Lat/Long) 61.1647N 146.3575W Diversion End/Downstream Location (Lat/Long) 61.1631N 146.3577W
Is Stream Diversion? Permanent Temporary 2 year(s) 6 months
Will diversion be reclaimed annually prior to freeze-up or be retained throughout the mine life? Annually reclaimed/returned to natural stream Maintained throughout mine life
Dimensions of existing stream in diversion area:
Length(ft) Top Width(ft) Bottom Width(ft) Depth(ft) Floodplain Width(ft)
Dominant substrate type (Choose Two): Bedrock Definition Boulder Cobble Gravel Sand Silt/Clay
Dimensions of proposed diversion:
Length 1525 (ft) Top Width 12 (ft) Bottom Width 12 (ft) Depth 1 (ft) Floodplain Width 25 (ft)
Note: The general geomorphology (e.g., meander, width/depth, pools/runs, etc.) and instream components (e.g., large woody debris, boulder/cobble, etc.) of the natural stream should be mimicked to the extent practicable.

*Required: A written stream diversion narrative in addition to this form. The narrative should describe the following:

- 1.) Step by Step Procedures
- 2.) Construction Techniques
- 3.) Reclamation Techniques
- 4.) Timelines

Are culverts being installed in any natural water-body or diversion structures? If yes include culvert locations, sizes and length on a map or table.

Stream Diversion construction narrative

With the diversion of the creek, my plan is to use overburden material, such as sand, dirt, rocks, wood and other natural material to construct a levee/dike wall in order to keep the water source from flowing into the tributary of Mineral Creek with the water keeping a natural flow in the main channel of Mineral Creek.




Fresh Water Pond is approximately 325Ft From Mineral Creck's main Channel

N1

Berm is appropriately 1,425ft

Berm is made up of rock, boulders, gravel and sand in order to off the main channel of Mineral Creek. From Feeling the tribatery to the West of Mineral Creek.





1st Cut will be made up of the Tributary Creek Bed once the bern is in place and remove it, water supply.


I colocid will be installed in order to support coad in a No Named Creck and a 2nd Culvert on Horse Tail Creck in order to support the same road that will allow access to all 3 claim. (Adl 4739269, 739270, 739271)

Both Culverts measure 2412 y 2014.




























(Attach additional sheets, along with detailed explanations as necessary)





Page 15

A narrative of the operation is required. Please use this space to describe the access, mining process, environmental protection measures and reclamation measures to be used for the duration of this permit. Use multiple sheets if necessary.

DESCRIBE ACCESS, PERSONNEL HOUSING AND CAMP LAYOUT:

Personnel will be able to access the Camp and Camp Layout the way of Mineral Creek Trail to a road that will be built to access the Claims off of Mineral Creek Trail and access the Camp throughout.

DESCRIBE PROGRESSIVE STEPS OF MINING METHOD:

Exploration & Prospecting Stage: Finding an economically sufficient amount of the deposit.

Discovery Stage: Mine-site design and planning

Development Stage.to build the Mine Site and prepare for production

Production Stage. to start processing material

Reclamation Stage in order to set the land back to its natural state in order to restore a productive, livable envoronment for fish, wildlife and the Natural Habitat

DESCRIBE PLANNED RECLAMATION MEASURES INCLUDING TIMELINE FOR RECLAMATION TO TAKE PLACE:

Reclamation will be performed at the end of every mining operation by ensuring that all disturbed areas are stabilized, prevent erosion and promote all Native Plant Growth,

DISCUSS WATER MANAGEMENT PLANS, INCLUDING USE, SOURCE, QUANTITY AND SURFACE WATER/ EROSION MANAGMENT PLAN:

Water and erosion will be managed by the installation of berms and culverts in order to manage all surface waters.

DISCUSS FUEL STORAGE, HANDLING, AND SPILL PREVENTION AND RESPONSE PLANS:

All Fuel will be stored in approved containers in order to prevent leaks and spills, but if a spill does occur it will be dealt with immediately with proper absorption materials, then remove and safely dispose of all material.

<u>DISCUSS HOW THE OPERATION WILL AVOID/MITIGATE POTENTIAL IMPACTS TO FISH, WILDLIFE AND CULTURAL RESOURCES:</u>

All pumps and dredges used in the operation of the mine will use screens to prevent any harm to any fish or natural habitat in the area.

Trush o food will be 5 tored properly and wildlife will not be parassed.

If Cultural resources are found work in that area will stop and DNR will be notified

Addition to mining method narrative

My plans for dredging is mainly for testing uses and to use during down time from placer mining.

(1	ndicate target and trenching location	ON TRENCHING and DRILLI as on sketch sheet and/or topo	-
hing: Ves ted number of	No trenches to be excavated: 6	How long will trend	ches be open? 7 days
ge Size: Leng	rth: 20Ft. Width: 2	Ft. Depth: 10-15	Ft.
ng: 🗸 Yes	No Ty	pe of Drill(s) Used: Auger	
Number of Hole	es ²⁴	Diameter of Drill Rod/Casing R	ods inch (NQ/HQ
d: Estimated Ma ater be used?		dicate how many pumps per w	vater source: N/A
r source name(s)·N/A		
cribe detailed	drill plan, closure, plugging meth	odology, reclamation and al	pandonment in project narra
cribe detailed		on and Mining Claim Informati	
Cribe detailed Trench/Drill ID on Map		on and Mining Claim Informati	on
Trench/Drill	Trench/Drilling Locati	on and Mining Claim Informati Decimal Degre	on es, NAD 83 Datum
Trench/Drill ID on Map	Trench/Drilling Locati	on and Mining Claim Informati Decimal Degre Latitude	on ees, NAD 83 Datum Longitude (approximate)
Trench/Drill ID on Map	Trench/Drilling Locati ADL/BLM/USMS NUMBER 739269	on and Mining Claim Informati Decimal Degre Latitude 61,1655N	on ees, NAD 83 Datum Longitude (approximate) 146.3609W
Trench/Drill ID on Map T	Trench/Drilling Locati ADL/BLM/USMS NUMBER 739269 739270	on and Mining Claim Informati Decimal Degre Latitude 61.1655N 61.1625N	Longitude (approximate) 146.3598W
Trench/Drill ID on Map T	Trench/Drilling Locati ADL/BLM/USMS NUMBER 739269 739270	on and Mining Claim Informati Decimal Degre Latitude 61.1655N 61.1625N	Longitude (approximate) 146.3598W

2024 ANNUAL RECLAMATION STATEMENT (33)						
✓ Placer Mining						
Suction Dredging						
Hardrock Exploration APMA # 3 258						
Complete and return this statement by December 31, 2024. If you did not operate, fill in your name, check bottom box, sign, and return form.						
In accordance with AS 27.19 (Reclamation Act):						
I, hereby file an annual reclamation statement for the 2024 mining operation described in subject Application for Permits to Mine in Alaska. (Submission of this statement does not constitute reclamation approval.)						
Volume of material disturbed in 2024: cubic yards (Includes stripping and processed material.)						
Sluice days last season: Cubic yards of material processed daily: Annually:						
Total acreage disturbed in 2024: State, Federal, Private (Includes stripped areas, mining cuts, overburden and tailing stockpiles and disposal areas, temporary stream diversions, stream bypasses, and settling ponds.) Federal operators should include area of camp and access roads.						
Length feet and Width feet of stream diversion.						
Stream diversion: Temporary Permanent No Diversion (check one).						
Total Area reclaimed in 2024: acres.						
Total un-reclaimed acres: (This should match "total acreage currently disturbed" on the 2025 Reclamation Plan Form.)						
For areas reclaimed, the following reclamation measures were used (check only measures that were used). You must include photographs or videotapes of the completed reclamation work: Spread and contoured tailings						
Spread topsoil, vegetation, overburden muck or fines on the surface of contoured tailings						
Reestablished flood plain with stream channel in stable position						
Ponds are reclaimed						
Backfilled and reclaimed temporary stream diversions Camp removed, cleaned up and left free of debris						
Hardrock Exploration: Complete and submit an electronic Annual Reclamation Report						
Other Reclamation Measures Taken:						
Did not operate in 2024 and therefore did not conduct reclamation. Relationship to Claim(s) Owner Lessee Operator						
Signed Date 4-1-25 Agent For:						

2025 RECLAMATION PLAN FORM (PLACER EXPLORATION OR MINING)

2023 RECLAMATIO	IN PLAN FORM (PLACER EXPLORATE	or or minute)				
A. RECLAMATION PLAN	B. RECLAMATION PLAN VOLUNTARY	C. LETTER OF INTENT (34)				
(REQUIRED if the operation will disturb five or more acres this year, OR 50,000 cubic yards, OR if the operation has a cumulative disturbed area of five or more acres).	(for an operation below limits shown in Box A but wanting to qualify for the statewide bonding pool. (Operations on BLM Lands and others not filling Letter of Intent).	(less than five acres to be disturbed AND less than 50,000 cubic yards AND less than five acres unreclaimed area).				
In accordance with Alaska Statute 27.19, reclamatio 5 acres or greater. Completion of this application wi "Letter of Intent To Do Reclamation" for operations u additional information concerning your plans for recla	ill meet the requirements for a "Reclamation Plan" for inder 5 acres. If you do not intend to use the reclam					
Total acreage currently disturbed:		round includes all unreclaimed mining and				
New acres to be disturbed in 20254.5	acres. Total acreage (currently disturbed plu	is new acres): 4.5 acres.				
Acreage disturbed by land status: 4.5 s						
Total acreage to be reclaimed in 2025:		,				
	noved. Cubic yards = Length (yards) x Width (
	ntly with activity. Reclamation will be con-					
	VING RECLAMATION MEASURES SHA					
•	required by law. Those that do not apply ma					
11 22 4 4 7 7	be given as to why these measures are not no					
 Topsoil, vegetation, and overburden muck, stockpiled for future use. This material will be be buried by tailings. 	not promptly redistributed to an area being re be protected from erosion and from contamina					
 The area reclaimed will be reshaped to bler Stockpiled topsoil, overburden muck, will be the area can reasonably be expected to rev Settling ponds located within the active floo from erosion or the fines removed. 	e spread over the contoured exploration sites regetate within five years. Stockpiled vegetati	to promote natural plant growth such that on will be spread over topsoils.				
• If the mining operation diverts a stream cha	·	at the stream channel is no longer stable, the				
 stream channel will be reestablished in a stream The flood plain will be established as appropriate the stream of the stream		lood events and prevent undue erosional				
degradation. Exploration trenches will be backfilled. Brus	• • • • • • •	ill be spread on the backfilled surface to				
 inhibit erosion and promote natural revegets Shallow auger holes (limited to depth of over 		r other locally available material in such a				
manner that closes the hole to minimize the	risk to humans, livestock and wildlife.					
 At placer drift mine closure, all mine shafts, sealed to ensure protection of the public, wi 		vorkings will be stabilized and properly				
On state lands; all buildings and structures		d, dismantled, or otherwise properly				
disposed of unless the surface owner or ma	anager authorizes that the buildings and struct	tures may stay.				
 On state lands; all scrap iron, equipment, to removed or properly disposed of. 	ools, piping, hardware, chemicals, fuels, waste	e, and general construction debris will be				
 Reclamation measures taken will be consis 	tent with any alternate post mining land use a nditions (if any) of an approved reclamation pl					
IMPORTANT: 1. Alternative reclamation measure your site. Please explain in separate correspondent at your operation. Reclamation measurements	ondence. Submit a sketch and describe additi					
BONDING: In accordance with AS 27.19, bonding is This area must be bonded for \$750.00 per acre, unle The Statewide Bonding Pool may be joined by comp goes into effect until the bonding pool deposit and ar	ess the miner can demonstrate that a third party co- pleting a bond pool application form and meeting ce	ntractor can do the needed reclamation for less. rtain requirements. No reclamation plan approval				
BLM requires that a reclamation plan be consistent with §43 CFR 3809.420, Performance Standards for the Surface Management regulations for Federal Operations. Refer to 43 CFR 3809 or the BLM minerals website available at						

2025 RECLAMATION PLAN FORM (SUCTION DREDGE EXPLORATION)

A. RECLAMATION PLAN	B. RE	CLAMATION PLAN VOLUNTARY	C. LETTER OF	INTENT (34)			
(REQUIRED if the operation will disturb five or more acres this year, OR 50,000 cubic yards, OR if the operation has a cumulative disturbed area of five or more acres).	but wanting pool. (Opera not filing Let	ation below limits shown in Box A to qualify for the statewide bonding tions on BLM Lands and others ter of Intent).	than 50,000 cubic ya unreclaimed area).	s to be disturbed AND less ards AND less than five acres			
In accordance with Alaska Statute 27.19, reclamation is required of all mining operations. Reclamation bonding is required of operations with disturbance of 5 acres or greater. Completion of this application will meet the requirements for a "Reclamation Plan" for operations 5 acres and larger in size and for a "Letter of Intent To Do Reclamation" for operations under 5 acres. If you do not intend to use the reclamation methods presented below, you must provide additional information concerning your plans for reclamation under separate attachments.							
Total acreage currently disturbed: acres. This should match: "Total Unreclaimed Acres" on your 2024 Annual Reclamation Statement for Small Mines, or line #7 on your 2025 Bond Pool Renewal Form. Disturbed ground includes all unreclaimed mining and exploration activity (excluding camps and roads) since October 1991. Federal operators must include areas of camps and roads. New acres to be disturbed in 2025 acres. Total acreage (currently disturbed plus new acres): / acres. Acreage disturbed by land status: / State (general) State (Mental Health) Private Federal Total acreage to be reclaimed in 2025 acres; Total volume of material to be disturbed in 2025: cubic yards. Include strippings and overburden to be removed. Cubic yards = Length (yards) x Width (yards) x Depth (yards).							
THE FOLLOV (These measures are required by law		AMATION MEASURES SHA do not apply may be crossed ou		n must be given.)			
Stream Suction Dredge Operations:	2.5						
 Reclamation will be completed prior to the end of the mining season. Reclamation will consist of leveling or contouring all gravel bar and stream bed tailings. Tailings will be left in such a manner that spring run-off will level the tailings without causing undue erosion. In no case will tailing piles extend more than 18 inches above the water surface at the end of the mining season. Prior to the end of the mining season, tailing piles, berms, or wing dams will be removed or left in such a manner to allow unristricted passage of fish and flood waters. Other: 							
Offshore Suction Dredge Operations:							
Tailings discharged from the dredge to the adjacent floor surface. The dredge so Tailings will beplaced in a manner that the Other:	shall be move	ed as necessary to allow for the p	roper low-profile dis				
Generally:							
 On all state lands, all buildings and structures constructured, used, or improved will be removed, dismantled, or otherwise properly disposed of unless the surface owner or manager authorizes that the buildings and structures may stay. On state lands, all scrap iron, equipment, tools, piping, hardware, chemicals, fuels, waste, and general construction debris will be removed or properly disposed of. Reclamation measures taken will be consistent with any alternate post mining land use approved by the Commissioner, subject to the provisions of 11 AAC 97.300(h) and the conditions (if any) of an approved reclamation plan. 							
IMPORTANT: 1. Alternative reclamation measures may be approved if the reclamation measures presented above are not applicable to your site. Please explain in separate correspondence. Submit a sketch and describe additional reclamation measures you propose to conduct at your operation. Reclamation measures must comply with AS 27.19.							
BONDING: In accordance with AS 27.19, bonding is required for all operations having a mined area of ≥ five acres on State Land. This area must be bonded for \$750.00 per acre, unless the miner can demonstrate that a third party contractor can do the needed reclamation for less. The Statewide Bonding Pool may be joined by completing a bond pool application form and meeting certain requirements. No reclamation plan approval goes into effect until the bonding pool deposit and annual nonrefundable fees are paid. Use bond form to calculate area of disturbance for bonding.							
BLM requires that a reclamation plan be consistent with §43 CFR 3809.420, Performance Standards for the Surface Management regulations for Federal Operations. Refer to 43 CFR 3809 or the BLM minerals website available at https://www.blm.gov/programs/energy-and-minerals/mining-andminerals for more information on what is needed for a reclamation plan on Federal lands, as they may be different than those identified above.							
Donovan Baggett Printed name (Applicant) Signature (Applicant)		Relationship to Mineral Propert Owner Lessee C Agent For:	ly:	Date: 2/1/22 T APMA #: 3258			